Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



62,31

IF UNDELIVERED RETURN TO

LOUISVILLE SEED CO.

INCORPORATED

Exclusively Wholesale

831 W. Main Street - LOUISVILLE, KY.

RETURN POSTAGE GUARANTEED



Sec. 562 P. L. & R.

U. S. POSTAGE

PAID

LOUISVILLE, KY.

PERMIT No. 60

Horticultural Crons & Diseases, U. S. Dent. of Agriculture, Washington, D. C.

PRICE LIST

Today's Most Important Mail





Subject to immediate acceptance and market change we quote f.o.b. Louisville.

MARCH 8, 1935.

Seeds Are Sold For Cash	
Terms: Draft with bill of lad- ing attached. Open shipments	
subject to sight draft within	
ten days.	
RED CLOVER PER 100 LB	
bags or mor	
44 HA A	
Choice	
Noyal	
MAMMOTH or SAPLING CLOVER	
Gold Medal \$25.00 \$24.5	0
Choice 24.00 23.5	0
ALSIKE	
Gold Medal \$30.00 \$29.5	
Alsike & Red Clover 15.50 15.0	U
ALFALFA	
Gold Medal Kansas	
U. S. Verified \$21.50 \$21.0	0
Gold Medal Oklahoma-Kansas	
U. S. Verified 19.00 18.5	0
Gold Medal Oklahoma	
U. S. Verified 17.50 17.0)0
Choice 15.50 15.0	00
Gr imm. 30# & 60# bags 28.00 27.3	V
Choice Grimm 25.00 24.5 (95% Pure 85% Germ.)	งบ
(95% Pure 85% Germ.)	
SWEET CLOVER	
Gold Medal Wh. Blo. \$10.50 \$10.5	25
Gold Medal Yel. Blo. 10.50 10.5	25
Gold Medal Tel. Blo. 10.00	
WHITE CLOVER	
Gold Medal \$26.00 \$25.	50
Choice 22.00 21.	50

LESPEDEZA

\$7.00

5.75

10.00

21.00

\$7.25

6.00

10.50

22.00

Korean. Dodder free.

Korean, Fancy...

Common

Sericea

arket change we quote f.o.b.	Louisville.
TIMOTHY	PER 100 LBS.
Gold Medal \$22.0	or more
Gold Medal \$22.0	0 \$21.50
94% Pure 18.5	0 18.00
RED TOP	
Gold Medal \$13.5	0 \$13.00
Abe (90% pure) 13.0	0 12.50
Choice 12.5	
Royal 12.0	0 11 50
	7. 25
Unhulled 7.5	1. 23
ORCHARD GRASS	
Gold Medal \$16.5	
Choice 16.0	
Gnorce	0 13.30
NEW CROP KENTUCKY BL	UE GRASS
Gold Medal \$22.	
Choice 21.	50 21.00
Education 21/1 Mo 25/1	00 24 50
Extra Fancy 21# Mo. 25.0	00 24.50
PASTURE MIXTURE Contains Red Clover, Red othy and Orchard Gr. \$9.	Top, Tim- 00 \$8.75
RYE GRASS	-
New Crop Domestic . \$5.	50 \$5.25
New Grop Domestre . \$3.	C)
(f.o.b. Greensboro, N	
New Crop Domestic . 5.	
(f.o.b. Louisville,	Ky.)
MILLET	
Culti. Tennessee \$7.	00 \$6.80
FODDER CANE SEE	
Orange \$5.	10 \$5.00
Redton 5.	10 5.00
Redtop	10 5.00
Amber	
MISCELLANEOUS	
Poa Trivialis \$32.	00 \$31.50
Tall Meadow Oat Gr. 15.	00 14 50
Tall Meadow Oat Gr. 13.	t for prioce
Sudan Grass Asi	K for prices
Bermuda Grass 19.	50 19.00
Winter or Hairy Vetch As	k for prices
Dwarf Essex Rape 5.0	00 4.75
Buckwheat As	k for prices
Rosen Rye As	k for prices
10	1

	MARGII 6,	1933.
CON DD	ANC	
SOY BEA	ANS PER	10 bags
Early Yellow	\$1.60	\$1.55
Illini	1.60	1.55
Manchu	1.60	1.55
Hollybrook	1.65	1.60
Virginia	1.90	1.85
Black Wilson	1.80	1.75
Mammoth Yellow.	1.85	1.80
Genuine Laredo	3.00	2.90
COW P		@0 1F
	\$2.25	\$2.15
Mixed	2.00	1.90
SEED CO)R N	
Reids Yellow Dent		\$1.75
Johnson Co. White	,	1.75
Boone Co. White.		1.75
Hickory King	2.00	1.90
SEED O	ATS	
Winter Turf	\$1.00	\$0.95
Burt	0.95	0.90
Northern White .	0.82	0.80
TAWN C	DACC	
LAWN G		\$34 00
Shady Place Gold Medal		25.00
Cherokee		22.00
In attractive or	ne pound c	artons,
packed thirty and	d fifty to	a case.
Above grades in bu	lk \$2.00 cw	t less.
SEED SO	OWERS EACH	DOZEN
Cyclone	\$1.75	\$20.00
Horn	60	6.90
MO OTIDENIO CERT	INOCHI A	TION
MC QUEENS SEEI For all Clovers:	INOCULA	HION
1 bu. size		\$0.30
For Beans, Peas,	Vetch Les	nedeza:
2 bu. size	, , , , , , , ,	. 0.30
5 bu size		. 0.60

10 bu. size

ORDERS FOR LESS THAN BAG LOTS WILL BE CHARGED FOR AT 50% PER 100 LBS HIGHER THAN LIST PRICES.

DISCLAIMER == The Louisville Seed Company gives no warranty, expressed or implied, as to description, quality or any other matter of any seed it sells and will not be responsible for the crop.



TACK UP FOR FUTURE REFERENCE

GOLD MEDAL FIELD SEEDS THE SURE GROWING KIND

"He Reaps Most Who Sows Best"

Lbs. Per Bu. Lbs. Per Acre 47 Barley 75—100 60 Beans, Soy, drills 30—40 60 Beans, Soy, broadcast 60—80 14 Bluegrass, Kentucky 21—23 48 Buckwheat 50—75 60 Cane, Drill 10—15 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (alone for forage) 12—15 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Sweet (hulled) 10—15 60 Clover, Sweet (hulled) 20—30 60 Clover, White 10—20 65 Corn 6—12 66 Corn 6—12 67 Corn (for Silage) 40—56 68 Millet, All Varieties (for seed) 25—40 69 Millet, All Varieties (for hay) 40—50 60 Peas, Cowpeas (drills) 45—60 60 Peas, Cowpeas (broadcast) 75—90 61 Rape (drill) 4—8 62 Rape (broadcast) 8—10 63 Rape (broadcast) 75—90 64 Red Top Fancy 7—12 65 Rye 56—112 66 Vetch, Hairy (drills) 35—50 66 Vetch, Hairy (drills) 35—50 66 Vetch, Hairy (broadcast) 50—75 66 Wheat 90—120	LEGAL WEIGHTS OF SEED AND GRAIN ALSO QUANTITY PER ACRE		
60 Beans, Soy, broadcast 60—80 14 Bluegrass, Kentucky 21—23 48 Buckwheat 50—75 50 Cane, Drill 10—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 20—30 60 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 50 Corn 6—12 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for seed)	Lbs.		
60 Beans, Soy, broadcast 60—80 14 Bluegrass, Kentucky 21—28 48 Buckwheat 50—75 50 Cane, Drill 10—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Crimson 12—15 25 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 10—15 32 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 50 Corn 6—12 60 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—56	47	Barley	75—100
14 Bluegrass, Kentucky 21—28 48 Buckwheat 50—75 50 Cane, Drill 10—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 20—30 60 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 50 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50 32 Oats </th <th>60</th> <th>Beans, Soy, drills</th> <th>30— 40</th>	60	Beans, Soy, drills	30— 40
48 Buckwheat 50— 75 50 Cane, Drill 10— 15 50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 32 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 <t< td=""><td>60</td><td>Beans, Soy, broadcast</td><td>60 80</td></t<>	60	Beans, Soy, broadcast	60 80
50 Cane, Drill 10— 15 50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 31 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 50 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10	14	Bluegrass, Kentucky	21— 28
50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 32 Clover, Sweet (unhulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 51 Orchard Grass 20— 30 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) <	48	Buckwheat	50— 75
60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10 14 Red Top (unhulled) 10— 15	50	Cane, Drill	10— 15
60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 <td>50</td> <td>Cane, broadcast</td> <td>50— 75</td>	50	Cane, broadcast	50— 75
60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12	60	Clover, Alfalfa, drills	15 20
60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 60 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Timothy 10— 15 55	60	Clover, Alfalfa, broadcast	18— 22
60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 60 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Timothy 10— 15 55	60	Clover, Alsike (alone for forage)	8— 15
60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Timothy 10— 15 45 Timothy and Alsike <td>60</td> <td></td> <td></td>	60		
60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) <	60		
60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	25	Clover, Japan (Lespedeza)	15 25
60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60	Clover, Sapling (Mammoth)	10— 15
60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75 <	60		
60 Clover, Sweet (hulled) 20—30 33 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50 32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (drills) 45—60 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75	60		
60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60		
60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	33		
56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60	Clover, White	10— 20
50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	56	Corn	6 12
50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	56	Corn (for Silage)	40— 56
32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (drills) 45—60 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75	50	Millet, All Varieties (for seed)	25— 40
14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	50	Millet, All Varieties (for hay)	40 50
60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	32	Oats	50— 65
60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	14	Orchard Grass	20— 30
50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60	Peas, Cowpeas (drills)	45— 60
50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60	Peas, Cowpeas (broadcast)	75— 90
14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	50	Rape (drill)	4— 8
14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	50	Rape (broadcast)	8 10
56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75	14	Red Top Fancy	7— 12
25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	14	Red Top (unhulled)	10— 15
45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	56	Rye	56112
45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	25	Sudan Grass	15— 25
60 Vetch, Hairy (drills)	45		
60 Vetch, Hairy (broadcast)	45	Timothy and Alsike	8— 10
	60	Vetch, Hairy (drills)	35— 50
60 Wheat90—120			
	60	Wheat	90—120

Louisville Seed Company

831 West Main Street

LOUISVILLE, KENTUCKY







THE ABOVE PICTURES OUR BEAUTIFUL LAWN GRASS SEED CARTONS—THE TOP CUT SHOWS OUR ATTRACTIVE DISPLAY EASEL WHICH WE INCLUDE FREE WITH CASE ORDERS.

See Prices On Wholesale List-Opposite Side



When You Need Seeds Phone JAckson 4181

•	
Y.	
-	
•	